

CHUTE SECTIONS

Durable Polyethylene Debris Chutes

Factory Line: 800-363-2488 www.superchute.com




No assembly needed

BENEFITS OF THE WELDED DESIGN:

- No assembly required (permanent tubes with a welded seam)
- Sections stack like coffee cups for easy transport and storage
- Fully compatible with all Wraparound™ chute sections

WHAT YOU NEED TO KNOW ABOUT BOTH WELDED & WRAPAROUND® SECTIONS:

- All Superchute® sections are slightly conical tubes, 4 feet in height
- Because linked sections overlap a little, 3 sections provide 10 ft. of drop
- All sections are equipped with our safe & strong cable linking hardware
- You can choose from six diameters: 18", 23", 27", 30", 33", 36" or other custom types
- For a one-time die charge, we'll brand all of your chute sections with your co. name
- When properly used, meets OSHA Part 1926.852, Chutes.



WRAPAROUND® SECTIONS

They go flat

BENEFITS OF THE WRAPAROUND® DESIGN:

- Minimal storage space required: opened chutes stack like sheets of plywood
- Easy to transport from job-to-job
- Fully compatible with all WELDED chute sections
- Wrench supplied for assembly of Wraparound™ Doors & Top Hoppers
- Regular sections connected by eyebolts & secured with red rope



Cable Linking System

All sections are equipped with proof-tested cable assemblies. Working in pairs, the Ø 5/16" cable assemblies allow safe suspension of up to 2,000 lb. of chute with a 10:1 safety factor up to 200 ft. Maximum height depends on chute diameter, adequacy of supporting structure and anchors.

Name Branding





www.superchute.com Toll Free: 800-363-2488 Local: 514-365-6121 Fax: 514-365-8987 E-Mail: info@superchute.com

Superchute Ltd. 8810 Elmslie Road Montreal, Quebec Canada, H8R 1V6

SUPERCHUTE*

- Made in Canada
- \bullet Consult the Superchute $^{\! \otimes}$ reference guide or manual for more information
- For clients in the USA: Free Trade applies No import duties or taxes
- Superchute® is a registered trademark of Superchute Ltd. (US Trademark: 1737832)
- Wraparound® is a registered trademark of Superchute Ltd. (US Trademark: 1872484)
- Printed in Canada